


# Life Cycle Analyses

POCSOUGM B



# Summary



**01** | Methodology



**02** | Results

# 01

## Methodology

# Environmental Impact Assessment

<p><b>Functional unit</b></p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.</p>
<p><b>Impact Indicator</b></p>	<p>The impact is measured through the "IPCC 2021 GWP100" method</p>
<p><b>Electricity impact calculation method</b></p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p><b>Life Cycle Analyses</b></p>	<p>Cradle to grave</p>

# Emission Factor Inventory


Num	Emission Factor	Source	Value	Unit
1	Polyurethane, rigid foam   Ordinary transforming activity	ECOINVENT 3.10	4.60	kg
2	Nylon 6   Ordinary transforming activity	ECOINVENT 3.10	9.27	kg
3	Polyvinylchloride, emulsion polymerised   Ordinary transforming activity	ECOINVENT 3.10	2.63	kg
4	Polyester filament   finished   at plant   100% polyester	BASE EMPREINTE ADEME 3.0	10.03	kg
5	Electricity   Total (Scope 2 & 3)   People's Republic of China	IEA 2023	0.72	kWh
6	Freight   Boat   From CN to FR	WELOW EXPERTS 1.0	0.25	kg
7	Waste polyvinylchloride product   Ordinary transforming activity	ECOINVENT 3.10	1.21	kg
8	Waste polyethylene/polypropylene product   Ordinary transforming activity	ECOINVENT 3.10	1.78	kg
9	Waste yarn and waste textile   Ordinary transforming activity	ECOINVENT 3.10	0.00	kg

# 02

Results

Mailing bag

# Climate Change




- End-of-Life Treatment
- Manufacturing
- Raw Material Extraction and Processing
- Transportation and Distribution

Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	2.3	84.41 %
Manufacturing	0.33	12.26 %
Transportation and Distribution	0.06	2.04 %
End-of-Life Treatment	0.04	1.29 %
<b>TOTAL</b>	<b>2.72</b>	<b>100.00 %</b>

Mailing bag

# Climate Change - Raw Material Extraction and Processing




Activity	Emission Factor Num	Quantity	Unité	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (polyester)	4	0.22	kg	2.18	95.00 %
Sourcing of raw material (nylon)	2	4.84 · 10 <sup>-3</sup>	kg	0.04	1.95 %
Sourcing of raw material (polyurethane foam)	1	9.68 · 10 <sup>-3</sup>	kg	0.04	1.94 %
Sourcing of raw material (PVC)	3	9.68 · 10 <sup>-3</sup>	kg	0.03	1.11 %
TOTAL				2.3	100.00 %



Mailing bag

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Unité	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (polyester)	5	0.4	kWh	292.31	87.50 %
Electricity usage during material transformation (PVC)	5	0.03	kWh	22.27	6.67 %
Electricity usage during material transformation (polyurethane foam)	5	0.02	kWh	12.99	3.89 %
Electricity usage during material transformation (nylon)	5	$8.98 \cdot 10^{-3}$	kWh	6.5	1.94 %

--	--	--	--	--	--

TOTAL				334.07	100.00 %
-------	--	--	--	--------	----------

Mailing bag


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Unité	Impact (g CO <sub>2</sub> eq)	Percentage (%)	
Freight	6	0.22	kg	55.5	100.00 %	
TOTAL					55.5	100.00 %

Mailing bag

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Unité	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (polyurethane foam)	8	8.8 · 10 <sup>-3</sup>	kg	15.7	44.66 %
End of life (PVC)	7	8.8 · 10 <sup>-3</sup>	kg	10.68	30.38 %
End of life (nylon)	8	4.4 · 10 <sup>-3</sup>	kg	7.85	22.33 %
End of life (polyester)	9	0.2	kg	0.92	2.62 %
TOTAL				35.14	100.00 %

