


# Life Cycle Analyses

DKBOX



# Summary



**01** | **Methodology**



**02** | **Results**

# 01

## Methodology

# Environmental Impact Assessment

<b>Functional unit</b>	The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.
<b>Impact Indicator</b>	The impact is measured through the "IPCC 2021 GWP100" method
<b>Electricity impact calculation method</b>	Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.
<b>Life Cycle Analyses</b>	Cradle to grave

# Emission Factor Inventory


Num	Emission Factor	Source	Value	Unit
1	Polyethylene terephthalate, granulate, amorphous   Market activity	ECOINVENT 3.10	3.886261094	kg
2	Polyethylene, linear low density, granulate   Ordinary transforming activity	ECOINVENT 3.10	3.073907294	kg
3	Softwood lumber   1kg   unspecified	BASE EMPREINTE ADEME 3.0	0.621811	kg
4	Electricity   Total (Scope 2 & 3)   People's Republic of China	IEA 2023	0.7231	kWh
5	Freight   Boat   From CN to FR Waste	WELOW EXPERTS 1.0	0.25227278	kg
6	polyethylene/polypropylene product   Ordinary packaging activity	ECOINVENT 3.10	1.783532575	kg
7	Packaging wood Average end of life in the EPR scheme - Impacts	BASE CARBONE ADEME 22.0	0.269	kg

# 02

Results

Workstation


# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	5.07	51.27 %
End-of-Life Treatment	2.4	24.21 %
Manufacturing	1.85	18.66 %
Transportation and Distribution	0.58	5.86 %
<b>TOTAL</b>	<b>9.9</b>	<b>100.00 %</b>

Workstation

# Climate Change - Raw Material Extraction and Processing




Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (plastic)	2	1.26	3.89	76.65 %
Sourcing of raw material (plywood)	3	1.75	1.09	21.41 %
Sourcing of raw material (PET)	1	0.03	0.1	1.94 %
TOTAL			5.07	100.00 %



Workstation

# Climate Change - Manufacturing



- Electricity usage during material transfo...
- Electricity usage during material transfo...
- Electricity usage during material transfo...

Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (plastic)	4	2.35	1.7	91.93 %
Electricity usage during material transformation (plywood)	4	0.16	0.12	6.23 %
Electricity usage during material transformation (PET)	4	0.05	0.03	1.84 %
TOTAL			1.85	100.00 %

Workstation


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	5	2.3	580.23	100.00 %
TOTAL			580.23	100.00 %

Workstation

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
End of life (plastic)	6	1.15	2.05	85.63 %
End of life (plywood)	7	1.13	0.3	12.66 %
End of life (PET)	6	0.02	0.04	1.71 %
TOTAL			2.4	100.00 %

