


# Life Cycle Analyses

PBCORBN



# Summary



## 01 | Methodology



## 02 | Results

# 01

## Methodology

# Environmental Impact Assessment

## Functional unit

The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.

## Impact Indicator

The impact is measured through the "IPCC 2021 GWP100" method

## Electricity impact calculation method

Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.

## Life Cycle Analyses

Cradle to grave

# Emission Factor Inventory


Num	Emission Factor	Source	Value	Unit
1	Steel, low-alloyed   Ordinary transforming activity	ECOINVENT 3.10	2.20	kg
2	Acrylonitrile-butadiene-styrene copolymer   Ordinary transforming activity	ECOINVENT 3.10	4.53	kg
3	Electricity   Total (Scope 2 & 3)   People's Republic of China	IEA 2023	0.72	kWh
4	Freight   Boat   From CN to FR	WELOW EXPERTS 1.0	0.25	kg
5	Residues, MSWI, waste plastic, consumer electronics   Ordinary transforming activity	ECOINVENT 3.10	0.36	kg
6	Waste reinforcement steel   Ordinary transforming activity	ECOINVENT 3.10	0.06	kg

# 02

## Results

Metallic bins


# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Manufacturing	37.61	63.08 %
Raw Material Extraction and Processing	19.52	32.73 %
Transportation and Distribution	1.75	2.94 %
End-of-Life Treatment	0.75	1.25 %
TOTAL	59.63	100.00 %

Metallic bins

# Climate Change - Raw Material Extraction and Processing



Activity	Emission Factor Num	Quantity	Unité	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (steel)	1	6.5	kg	14.32	73.36 %
Sourcing of raw material (ABS)	2	1.15	kg	5.2	26.64 %


--

--

TOTAL				19.52	100.00 %
-------	--	--	--	-------	----------

Metallic bins

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Unité	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (steel)	3	49.89	kWh	36.07	95.91 %
Electricity usage during material transformation (ABS)	3	2.13	kWh	1.54	4.09 %


--

--

TOTAL				37.61	100.00 %
-------	--	--	--	-------	----------

## Metallic bins


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Unité	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Freight	4	6.95	kg	1.75	100.00 %
TOTAL				1.75	100.00 %

Metallic bins

## Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Unité	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (ABS)	5	1.04	kg	377.42	50.46 %
End of life (steel)	6	5.91	kg	370.6	49.54 %

--

--

TOTAL				748.02	100.00 %
-------	--	--	--	--------	----------

