

# Life Cycle Analyses

LED SLIM N



# Summary



## 01 | Methodology



## 02 | Results

The background is a dark green gradient. In the upper left, there is a large, abstract, wavy shape in shades of pink and light blue, resembling a stylized flower or a series of overlapping petals. A small, colorful, pixelated square is visible within this shape.

# 01

## Methodology

# Environmental Impact Assessment

## Functional unit

The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.

## Impact Indicator

The impact is measured through the "IPCC 2021 GWP100" method

## Electricity impact calculation method

Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.

## Life Cycle Analyses

Cradle to grave

# Emission Factor Inventory


| Num | Emission Factor  | Source            | Value         | Unit |
|-----|--|-------------------|---------------|------|
| 1   | Acrylonitrile-butadiene-styrene copolymer   Ordinary transforming activity           | ECOINVENT 3.10    | 4.533718346   | kg   |
| 2   | market for copper, anode   | ECOINVENT 3.10    | 6.209959797   | kg   |
| 3   | Steel, low-alloyed   Ordinary transforming activity                                  | ECOINVENT 3.10    | 2.203301567   | kg   |
| 4   | market for cement, Portland  | ECOINVENT 3.10    | 0.944058408   | kg   |
| 5   | Electricity   Total (Scope 2 & 3)   People's Republic of China                       | IEA 2023          | 0.7231        | kWh  |
| 6   | Freight   Boat   From CN to FR   | WELOW EXPERTS 1.0 | 0.25227278    | kg   |
| 7   | Residues, MSWI, waste plastic, consumer electronics   Ordinary transforming activity | ECOINVENT 3.10    | 0.3620299477  | kg   |
| 8   | Waste reinforcement steel   Ordinary transforming activity                           | ECOINVENT 3.10    | 0.06273427595 | kg   |
| 9   | treatment of waste cement-fibre slab, dismantled, municipal incineration             | ECOINVENT 3.10    | 0.015293826   | kg   |
| 10  | market for scrap copper  | ECOINVENT 3.10    | 0.03507768    | kg   |

# 02

## Results

Floor lamp


# Climate Change



| Step                                   | Impact (kg CO <sub>2</sub> eq) | Percentage (%) |
|--|--------------------------------|----------------|
| Manufacturing                          | 16.11                          | 47.69 %        |
| Raw Material Extraction and Processing | 15.7                           | 46.47 %        |
| Transportation and Distribution        | 1.74                           | 5.15 %         |
| End-of-Life Treatment                  | 0.23                           | 0.69 %         |
|  |                                |                |
| TOTAL                                  | 33,79                          | 100.00 %       |

Floor lamp

# Climate Change - Raw Material Extraction and Processing



| Activity                          | Emission Factor Num | Quantity | Impact (kg CO <sub>2</sub> eq) | Percentage (%) |
|-----------------------------------|---------------------|----------|--------------------------------|----------------|
| Sourcing of raw material (cement) | 4                   | 6.31     | 5.96                           | 37.96 %        |
| Sourcing of raw material (copper) | 2                   | 0.76     | 4.71                           | 30.02 %        |
| Sourcing of raw material (steel)  | 3                   | 2.13     | 4.68                           | 29.82 %        |
| Sourcing of raw material (ABS)    | 1                   | 0.08     | 0.34                           | 2.19 %         |


|  |
|--|
|  |
|--|

|       |  |  |      |          |
|-------|--|--|------|----------|
| TOTAL |  |  | 15.7 | 100.00 % |
|-------|--|--|------|----------|



## Floor lamp


# Climate Change - Manufacturing



| Activity  | Emission Factor Num | Quantity | Impact (kg CO <sub>2</sub> eq) | Percentage (%) |
|---|---------------------|----------|--------------------------------|----------------|
| Electricity usage during material transformation (steel)  | 5                   | 16.31    | 11.8                           | 73.22 %        |
| Electricity usage during material transformation (copper) | 5                   | 5.83     | 4.21                           | 26.15 %        |
| Electricity usage during material transformation (ABS)    | 5                   | 0.14     | 0.1                            | 0.63 %         |
|   |                     |          |                                |                |
|   |                     |          |                                |                |
|   |                     |          |                                |                |
| TOTAL   |                     |          | 16.11                          | 100.00 %       |

## Floor lamp


# Climate Change - Transportation and Distribution



| Activity | Emission Factor Num | Quantity | Impact (kg CO <sub>2</sub> eq) | Percentage (%) |
|----------|---------------------|----------|--------------------------------|----------------|
| Freight  | 6                   | 6.9      | 1.74                           | 100.00 %       |
|          |                     |          |                                |                |
|          |                     |          |                                |                |
|          |                     |          |                                |                |
|          |                     |          |                                |                |
| TOTAL    |                     |          | 1.74                           | 100.00 %       |

Floor lamp

## Climate Change - End-of-Life Treatment



| Activity             | Emission Factor Num | Quantity | Impact (g CO <sub>2</sub> eq) | Percentage (%) |
|----------------------|---------------------|----------|-------------------------------|----------------|
| End of life (steel)  | 8                   | 1.93     | 121.2                         | 51.63 %        |
| End of life (cement) | 9                   | 4.21     | 64.37                         | 27.42 %        |
| End of life (ABS)    | 7                   | 0.07     | 24.98                         | 10.64 %        |
| End of life (copper) | 10                  | 0.69     | 24.2                          | 10.31 %        |

|  |
|--|
|  |
|--|

|       |  |  |        |          |
|-------|--|--|--------|----------|
| TOTAL |  |  | 234.76 | 100.00 % |
|-------|--|--|--------|----------|

