

# Life Cycle Analyses

DD5PMW BC



# Summary



## 01 | Methodology



## 02 | Results

# 01

## Methodology

# Environmental Impact Assessment

## Functional unit

The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.

## Impact Indicator

The impact is measured through the "IPCC 2021 GWP100" method

## Electricity impact calculation method

Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.

## Life Cycle Analyses

Cradle to grave

# Emission Factor Inventory


Num	Emission Factor	Source	Value	Unit
1	Steel, low-alloyed   Ordinary transforming activity	ECOINVENT 3.10	2.364612691	kg
2	Softwood lumber   1kg   unspecified	BASE EMPREINTE ADEME 3.0	0.621811	kg
3	Acrylonitrile-butadiene-styrene copolymer   Ordinary transforming activity	ECOINVENT 3.10	4.533718346	kg
4	Electricity   Total (Scope 2 & 3)   People's Republic of China	IEA 2023	0.7231	kWh
5	Freight   Boat   From CN to FR	WELOW EXPERTS 1.0	0.25227278	kg
6	Packaging - Wood - Average end of life in the EPR scheme - Impacts	BASE CARBONE ADEME 22.0	0.269	kg
7	Residues, MSWI, waste plastic, consumer electronics   Ordinary transforming activity	ECOINVENT 3.10	0.3620299477	kg
8	Tinplate scrap, sorted   Ordinary transforming activity	ECOINVENT 3.10	0.03352378077	kg

# 02

## Results

Floor Litterature Display


# Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Raw Material Extraction and Processing	17.68	48.79 %
Manufacturing	15.38	42.44 %
Transportation and Distribution	1.68	4.62 %
End-of-Life Treatment	1.5	4.15 %
TOTAL	36,23	100.00 %

## Floor Litterature Display

# Climate Change - Raw Material Extraction and Processing




Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (ABS)	3	2.19	9.93	56.20 %
Sourcing of raw material (metal)	1	2.19	5.18	29.31 %
Sourcing of raw material (plywood)	2	4.12	2.56	14.48 %
TOTAL			17.68	100.00 %



## Floor Litterature Display

# Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (metal)	4	16.82	12.16	79.11 %
Electricity usage during material transformation (ABS)	4	4.07	2.94	19.13 %
Electricity usage during material transformation (plywood)	4	0.38	0.27	1.76 %
TOTAL			15.38	100.00 %

Floor Litterature Display


# Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Freight	5	6.64	1.68	100.00 %
TOTAL			1.68	100.00 %

## Floor Litterature Display

# Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
End of life (ABS)	7	1.99	0.72	48.00 %
End of life (plywood)	6	2.66	0.71	47.55 %
End of life (metal)	8	1.99	0.07	4.44 %
TOTAL			1.5	100.00 %

