


Life Cycle Analyses

DDEXPO8W BC



Summary



01 | Methodology



02 | Results

01

Methodology

Environmental Impact Assessment

| | |
|---|---|
| <p>Functional unit</p> | <p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.</p> |
| <p>Impact Indicator</p> | <p>The impact is measured through the "IPCC 2021 GWP100" method</p> |
| <p>Electricity impact calculation method</p> | <p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p> |
| <p>Life Cycle Analyses</p> | <p>Cradle to grave</p> |


Emission Factor Inventory

| Num | Emission Factor | Source | Value | Unit |
|-----|--|-------------------------|---------------|------|
| 1 | Acrylonitrile-butadiene-styrene copolymer Ordinary transforming activity | ECOINVENT 3.10 | 4.533718346 | kg |
| 2 | Bamboo culm Ordinary transforming activity | ECOINVENT 3.10 | 0.02547324825 | kg |
| 3 | Steel, low-alloyed Ordinary transforming activity | ECOINVENT 3.10 | 2.203301567 | kg |
| 4 | Electricity Total (Scope 2 & 3) People's Republic of China | IEA 2023 | 0.7231 | kWh |
| 5 | Freight Boat From CN to FR | WELOW EXPERTS 1.0 | 0.25227278 | kg |
| 6 | Waste reinforcement steel Ordinary transforming activity | ECOINVENT 3.10 | 0.06273427595 | kg |
| 7 | Packaging - Wood - Average end of life in the EPR scheme - Impacts | BASE CARBONE ADEME 22.0 | 0.269 | kg |
| 8 | Residues, MSWI, waste plastic, consumer electronics Ordinary transforming activity | ECOINVENT 3.10 | 0.3620299477 | kg |

02

Results


Floor Litterature Display Climate Change



| Step | Impact (kg CO ₂ eq) | Percentage (%) |
|--|--------------------------------|-----------------|
| Raw Material Extraction and Processing | 23.56 | 58.40 % |
| Manufacturing | 12.96 | 32.12 % |
| End-of-Life Treatment | 2.06 | 5.10 % |
| Transportation and Distribution | 1.77 | 4.38 % |
| TOTAL | 40,34 | 100.00 % |

Floor Litterature Display


Climate Change - Raw Material Extraction and Processing



| Activity | Emission Factor Num | Quantity | Impact (kg CO ₂ eq) | Percentage (%) |
|-----------------------------------|---------------------|----------|--------------------------------|----------------|
| Sourcing of raw material (ABS) | 1 | 4.62 | 20.95 | 88.91 % |
| Sourcing of raw material (steel) | 3 | 1.16 | 2.54 | 10.80 % |
| Sourcing of raw material (bamboo) | 2 | 2.71 | 0.07 | 0.29 % |
| TOTAL | | | 23.56 | 100.00 % |

Floor Litterature Display

Climate Change - Manufacturing



| Activity | Emission Factor Num | Quantity | Impact (kg CO ₂ eq) | Percentage (%) |
|---|---------------------|----------|--------------------------------|----------------|
| Electricity usage during material transformation (steel) | 4 | 8.87 | 6.41 | 49.48 % |
| Electricity usage during material transformation (ABS) | 4 | 8.58 | 6.2 | 47.85 % |
| Electricity usage during material transformation (bamboo) | 4 | 0.48 | 0.35 | 2.67 % |
| TOTAL | | | 12.96 | 100.00 % |

Floor Litterature Display


Climate Change - Transportation and Distribution



| Activity | Emission Factor Num | Quantity | Impact (kg CO ₂ eq) | Percentage (%) |
|----------|---------------------|----------|--------------------------------|----------------|
| Freight | 5 | 7 | 1.77 | 100.00 % |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL | | | 1.77 | 100.00 % |

Floor Litterature Display

Climate Change - End-of-Life Treatment



| Activity | Emission Factor Num | Quantity | Impact (kg CO ₂ eq) | Percentage (%) |
|----------------------|---------------------|----------|--------------------------------|----------------|
| End of life (ABS) | 8 | 4.2 | 1.52 | 73.91 % |
| End of life (bamboo) | 7 | 1.75 | 0.47 | 22.88 % |
| End of life (steel) | 6 | 1.05 | 0.07 | 3.20 % |
| TOTAL | | | 2.06 | 100.00 % |

