## Life Cycle Analyses

MESHWALLIT N





## Summary



**01** Methodology



02 Results



# Methodology

#### **Environmental Impact Assessment**

#### **Functional unit**

The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable.

#### **Impact Indicator**

The impact is measured through the "IPCC 2021 GWP100" method

## Electricity impact calculation method

Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.

#### Life Cycle Analyses

Cradle to grave





## **Emission Factor Inventory**


Nu m	Emission Factor	Source	Value	Unit
1	Steel, low-alloyed   Ordinary transforming activity	ECOINVENT 3.10	2.20330156 7	kg
2	Electricity   Total (Scope 2 & 3)   People's Republic of China	IEA 2023	0.7231	kWh
3	Freight   Boat   From CN to FR	WELOW EXPERTS 1.0	O.2522727 8	kg
4	Waste reinforcement steel   Ordinary transforming activity	ECOINVENT 3.10	0.0627342 7595	kg








# Results



### Climate Change



Step	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Manufacturing	9.77	69.04 %
Raw Material Extraction and Processing	3.88	27.40 %
Transportation and Distribution	0.4	2.85 %
End-of-Life Treatment	0.1	0.71 %


TOTAL	14,15	100.00 %





Climate Change - Raw Material Extraction and






Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Sourcing of raw material (steel)	1	1.76	3.88	100.00 %


TOTAL 3.88 100.00 %







### Climate Change - Manufacturing




Activity	Emission Factor Num	Quantity	Impact (kg CO <sub>2</sub> eq)	Percentage (%)
Electricity usage during material transformation (steel)	2	13.51	9.77	100.00 %

TOTAL 9.77 100.00 %





## Climate Change - Transportation and Distribution




Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
Freight	3	1.6	403.64	100.00 %


TOTAL 403.64 100.00 %







### Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (g CO <sub>2</sub> eq)	Percentage (%)
End of life (steel)	4	1.6	100.37	100.00 %

TOTAL 100.37 100.00 %





